

Твердосплавных хвостовик LRE10/12/16/20/25/30/32

Коническая шейка




Рис. 1




Рис. 2




Обозначение	ØD	Ød	Ød1	ℓ	L	Комплектующие		Применяемые пластины(Ø)	Рис.
						Винт	Ключ		
LRE 100080S-S10C	10, 11	10	9.5	80	136	ETND0307F	TWP08S	10, 11	1
100120S-S10C	10, 11	10	9.5	120	176				1
100023S-S10C-130	10, 11	10	9.5	23	130				2
100023S-S10C-170	10, 11	10	9.5	23	170	ETND03509	TWP10S	12,13	1
120100S-S12C	12, 13	12	11.5	100	156				1
120150S-S12C	12, 13	12	11.5	150	206				1
120025S-S12C-150	12, 13	12	11.5	25	150	ETND03509	TWP10S	12,13	2
120025S-S12C-200	12, 13	12	11.5	25	200				2
160100S-S16C	16, 17	16	15.5	100	160				1
160150S-S16C	16, 17	16	15.5	150	210	ETND0413	TWP15S	16,17	1
160030S-S16C-160	16, 17	16	15.5	30	160				2
160030S-S16C-210	16, 17	16	15.5	30	210				2
200120S-S20C	20, 21	20	19.5	120	190	ETKD0516	TWP20	20,21	1
200170S-S20C	20, 21	20	19.5	170	240				1
200035S-S20C-190	20, 21	20	19.5	35	190				2
200035S-S20C-240	20, 21	20	19.5	35	240	ETKD0516	TWP20	20,21	2
250140S-S25C	25, 26	25	24.5	140	220				1
250170S-S25C	25, 26	25	24.5	170	250				1
250040S-S25C-220	25, 26	25	24.5	40	220	ETKD0620	TWP25	25,26	2
250040S-S25C-250	25, 26	25	24.5	40	250				2
300140S-S32C	30, 31	32	29.5	140	230				ETGD0825
300170S-S32C	30, 31	32	29.5	170	260	1			
300050S-S32C-230	30, 31	32	29.5	50	230	2			
300050S-S32C-260	30, 31	32	29.5	50	260	ETGD0825	TWP40	30,31	2
320140S-S32C	32	32	31.5	140	230				1
320170S-S32C	32	32	31.5	170	260				1
320050S-S32C-230	32	32	31.5	50	230	ETGD0825	TWP40	32	2
320050S-S32C-260	32	32	31.5	50	260				2

(мм)

Стальной хвостовик LRE10/12

Цилиндрическая шейка



Обозначение	ØD	Ød	Ød1	ℓ	L	Комплектующие		Применяемые пластины(Ø)
						Винт	Ключ	
LRE 100025T-S12	10, 11	12	9.5	25	111	ETND0307F	TWP08S	10,11
100050T-S12	10, 11	12	9.5	50	150			
120060T-S16	12, 13	16	11.5	60	160	ETND03509	TWP10S	12,13

(мм)